



Anova Laboratory, LLC
 1685 Tucker Road
 Hood River, OR 97031
 541.387.4020 (office)
 866.293.1337 (fax)

Certificate of Analysis

The Clone Brothers

Lic Num: 0201002250AD7C

Strain: Brain Freeze

Matrix: Flower

CTS Batch #: 1A40103000003E9000000109

Lot Number: Brain Freeze Fall 2016

Lot Size (lb): 10

Client CTS Sample ID: 1A40103000003E9000000141

Collected: 11/23/2016 10:30

Received: 11/23/2016 12:00

Anova Sample ID: 021163280311

Analysis Performed	Date Analyzed	Result	fn	Reporting Units	Reporting Criterion	Pass/Fail
Giese 2015						
Cannabidiol (CBD) by HPLC	12/5/2016	< 0.05		% Mass	n/a	n/a
Cannabidiolic acid (CBDA) by HPLC	12/5/2016	0.08		% Mass	n/a	n/a
Cannabinol (CBN) by HPLC	12/5/2016	0.07 J	1	% Mass	n/a	n/a
delta-9-Tetrahydrocannabinol (d9-THC) by HPLC	12/5/2016	2.96		% Mass	n/a	n/a
delta-9-Tetrahydrocannabinolic acid (d9-THCA) by HPLC	12/5/2016	16.48		% Mass	n/a	n/a
Total CBD (Calculated)	12/5/2016	0.07		% Mass	n/a	n/a
Total THC (Calculated)	12/5/2016	17.41		% Mass	n/a	n/a
AOAC Method 934.01						
Moisture (Loss on Drying)	11/27/2016	12.26		% Mass	n/a	n/a
AOAC Method 978.18						
Water Activity	11/27/2016	0.48		aW	0.65 max	Pass
AOAC Method 2007.1						
Abamectin (CAS# 71751-41-2)	12/6/2016	< 500		ppb (ng/g)	500 max	Pass
Acephate (CAS# 30560-19-1)	12/6/2016	< 400		ppb (ng/g)	400 max	Pass
Acequinocyl (CAS# 57960-19-7)	12/6/2016	< 2000		ppb (ng/g)	2000 max	Pass
Acetamiprid (CAS# 135410-20-7)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Aldicard (CAS# 116-06-3)	12/6/2016	< 400		ppb (ng/g)	400 max	Pass
Azoxystrobin (CAS# 131860-33-8)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Bifenazate (CAS# 149877-41-8)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Bifenthrin (CAS# 82657-04-3)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Boscalid (CAS# 188425-85-6)	12/6/2016	< 400		ppb (ng/g)	400 max	Pass
Carbaryl (CAS# 63-25-2)	12/6/2016	< 200		ppb (n/g)	200 max	Pass
Carbofuran (CAS# 1563-66-2)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Chlorantraniliprole (CAS# 500008-45-7)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass

This report shall not be reproduced without the expressed written consent of ANOVA Laboratory, LLC.

These results pertain only to the representative sample submitted for analysis.

Client-Based Solutions and High-Quality, Rapid Results



Anova Laboratory, LLC
1685 Tucker Road
Hood River, OR 97031
541.387.4020 (office)
866.293.1337 (fax)

Certificate of Analysis

The Clone Brothers
18998 South Fischers Mill
Oregon City, OR 97045
John Sauer
Lic Num: 0201002250AD7C

Strain: Brain Freeze
Matrix: Flower
CTS Batch #: 1A40103000003E9000000109
Lot Number: Brain Freeze Fall 2016
Lot Size (lb): 10
Client CTS Sample ID: 1A40103000003E9000000141
Collected: 11/23/2016 10:30
Received: 11/23/2016 12:00
Anova Sample ID: 021163280311

Analysis Performed	Date Analyzed	Result	fn	Reporting Units	Reporting Criterion	Pass/Fail
Chlorfenapyr (CAS# 122453-73-0)	12/6/2016	< 1000		ppb (ng/g)	1000 max	Pass
Chlorpyrifos (CAS# 2921-88-2)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Clofentezine (CAS# 74115-24-5)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Cyfluthrin (Baythroid) (CAS# 68359-37-5)	12/6/2016	< 1000		ppb (ng/g)	1000 max	Pass
Cypermethrin (CAS# 52315-07-8)	12/6/2016	< 1000		ppb (ng/g)	1000 max	Pass
Daminozide (CAS# 1596-84-5)	12/6/2016	< 1000		ppb (ng/g)	1000 max	Pass
DDVP (Dichlorvos) (CAS# 62-73-7)	12/6/2016	< 1000		ppb (ng/g)	1000 max	Pass
Diazinon (CAS# 333-41-5)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Dimethoate (CAS# 60-51-5)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Ethoprophos (CAS# 13194-48-4)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Etofenprox (CAS# 80844-07-1)	12/6/2016	< 400		ppb (ng/g)	400 max	Pass
Etoxazole (CAS#153233-91-1)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Fenoxycarb (CAS# 79127-80-3 or 72490-01-8)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Fenpyroximate (CAS# 134098-61-6)	12/6/2016	< 400		ppb (ng/g)	400 max	Pass
Fipronil (CAS# 120068-37-3)	12/6/2016	< 400		ppb (ng/g)	400 max	Pass
Flonicamid (CAS# 158062-67-0)	12/6/2016	< 1000		ppb (ng/g)	1000 max	Pass
Fludioxonil (CAS# 131341-86-1)	12/6/2016	< 400		ppb (ng/g)	400 max	Pass
Hexythiazox (CAS#78587-05-0)	12/6/2016	< 1000		ppb (ng/g)	1000 max	Pass
Imazalil (CAS# 35554-44-0)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Imidacloprid (CAS# 138261-41-3)	12/6/2016	< 400		ppb (ng/g)	400 max	Pass
Kresoxim-methyl (CAS#143390-89-0)	12/6/2016	< 400		ppb (ng/g)	400 max	Pass
Malathion (CAS# 121-75-5)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Metalaxyl (CAS# 57837-19-1)	12/6/2016	< 200		pbb (ng/g)	200 max	Pass
Methiocarb (CAS#2032-65-7)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Methomyl (CAS# 16752-77-5)	12/6/2016	< 400		ppb (ng/g)	400 max	Pass
Methyl parathion (CAS# 298-00-0)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass

*This report shall not be reproduced without the expressed written consent of ANOVA Laboratory, LLC.
These results pertain only to the representative sample submitted for analysis.*

Client-Based Solutions and High-Quality, Rapid Results



Anova Laboratory, LLC
 1685 Tucker Road
 Hood River, OR 97031
 541.387.4020 (office)
 866.293.1337 (fax)

Certificate of Analysis

The Clone Brothers
 18998 South Fischers Mill
 Oregon City, OR 97045
 John Sauer
 Lic Num: 0201002250AD7C

Strain: Brain Freeze
 Matrix: Flower
 CTS Batch #: 1A40103000003E9000000109
 Lot Number: Brain Freeze Fall 2016
 Lot Size (lb): 10
 Client CTS Sample ID: 1A40103000003E9000000141
 Collected: 11/23/2016 10:30
 Received: 11/23/2016 12:00
 Anova Sample ID: 021163280311

Analysis Performed	Date Analyzed	Result	fn	Reporting Units	Reporting Criterion	Pass/Fail
MGK-264 (CAS# 113-48-4)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Myclobutanil (Systhane) (CAS# 88671-89-0)	12/6/2016	< 200		ppb (ng/)	200 max	Pass
Naled (Dibrom) (CAS# 300-76-5)	12/6/2016	< 500		ppb (ng/g)	500 max	Pass
Oxamyl (CAS# 23135-22-0)	12/6/2016	< 1000		ppb (ng/g)	1000 max	Pass
Paclobutranzol (CAS#76738-62-0)	12/6/2016	< 400		ppb (ng/g)	400 max	Pass
Permethrins (-cis) (39%) (CAS#52645-53-1)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Permethrins (-trans) (59%) (CAS# 51877-74-8)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Phosmet (Imidan) (CAS# 732-11-6)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Piperonyl butoxide (CAS# 51-03-6)	12/6/2016	< 2000		ppb (ng/g)	2000 max	Pass
Prallethrin (CAS# 23031-36-9)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Propiconazole (CAS# 60207-90-1)	12/6/2016	< 400		ppb (ng/g)	400 max	Pass
Propoxur (Baygon) (CAS# 114-26-1)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Pyrethrin - Cinerin 1 (CAS# 8003-34-7 / 25402-06-6)	12/6/2016	< 1000		ppb (ng/g)	1000 max	Pass
Pyrethrin - Jasmolin 1 (CAS# 8003-34-7 / 4466-14-2)	12/6/2016	< 1000		ppb (ng/g)	1000 max	Pass
Pyrethrin - Pyrethrin 1 (CAS# 8003-34-7 / 121-21-1)	12/6/2016	< 1000		ppb (ng/g)	1000 max	Pass
Pyridaben (CAS# 96489-71-3)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Spinosad A (CAS# 168316-95-8)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Spinosad D (CAS# 168316-95-8)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Spiromesifen (CAS# 283594-90-1)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Spirotetramat (CAS# 23313-25-1)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Spiroxamine II (CAS# 11834-30-8)	12/6/2016	< 400		ppb (ng/g)	400 max	Pass
Sprioxamine I (CAS# 11834-30-8)	12/6/2016	< 400		ppb (ng/g)	400 max	Pass
Tebuconazole (Folicur) (CAS# 107534-96-3)	12/6/2016	< 400		ppb (ng/g)	400 max	Pass
Thiacloprid (CAS# 11988-49-9)	12/6/2016	< 200		ppb (gn/g)	200 max	Pass
Thiamethoxam (CAS# 153719-23-4)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass
Trifloxystrobin (CAS# 141517-21-7)	12/6/2016	< 200		ppb (ng/g)	200 max	Pass

*This report shall not be reproduced without the expressed written consent of ANOVA Laboratory, LLC.
 These results pertain only to the representative sample submitted for analysis.*

Client-Based Solutions and High-Quality, Rapid Results



Anova Laboratory, LLC
 1685 Tucker Road
 Hood River, OR 97031
 541.387.4020 (office)
 866.293.1337 (fax)

Certificate of Analysis

The Clone Brothers
 18998 South Fischers Mill
 Oregon City, OR 97045
 John Sauer
 Lic Num: 0201002250AD7C

Strain: Brain Freeze
 Matrix: Flower
 CTS Batch #: 1A40103000003E9000000109
 Lot Number: Brain Freeze Fall 2016
 Lot Size (lb): 10
 Client CTS Sample ID: 1A40103000003E9000000141
 Collected: 11/23/2016 10:30
 Received: 11/23/2016 12:00
 Anova Sample ID: 021163280311

Analysis Performed	Date Analyzed	Result	fn	Reporting Units	Reporting Criterion	Pass/Fail
--------------------	---------------	--------	----	-----------------	---------------------	-----------

Footnotes:

Acceptance criteria are found in the Oregon Administrative Rule. Analyses are performed in accordance with the most current methods.

Potency results reported on a dry weight basis.

Pesticide analyses outsourced to OLCC licensed ORELAP accredited laboratory.

1. J = estimated value. The analyte of interest was detected at a concentration below the lowest calibrated value.

Reviewed By: J. Fetkenhour, Technical Director

Date: 12/8/2016

*This report shall not be reproduced without the expressed written consent of ANOVA Laboratory, LLC.
 These results pertain only to the representative sample submitted for analysis.*

Client-Based Solutions and High-Quality, Rapid Results