



Anova Laboratory, LLC
 1685 Tucker Road
 Hood River, OR 97031
 541.387.4020 (office)
 866.293.1337 (fax)

Certificate of Analysis

The Clone Brothers

Lic Num: 0201002250AD7C

Strain: Orange Crush

Matrix: Flower

CTS Batch #: 1A40103000003E9000000124

Lot Number: Orange Crush Fall 2016

Lot Size (lb): 3.63

Client CTS Sample ID: 1A40103000003E9000000146

Collected: 11/23/2016 12:00

Received: 11/23/2016 12:00

Anova Sample ID: 021163280317

Analysis Performed	Date Analyzed	Result	fn	Reporting Units	Reporting Criterion	Pass/Fail
Giese 2015						
Cannabidiol (CBD) by HPLC	12/5/2016	< 0.05		% Mass	n/a	n/a
Cannabidiolic acid (CBDA) by HPLC	12/5/2016	0.07		% Mass	n/a	n/a
Cannabinol (CBN) by HPLC	12/5/2016	< 0.05		% Mass	n/a	n/a
delta-9-Tetrahydrocannabinol (d9-THC) by HPLC	12/5/2016	1.66		% Mass	n/a	n/a
delta-9-Tetrahydrocannabinolic acid (d9-THCA) by HPLC	12/5/2016	15.35		% Mass	n/a	n/a
Total CBD (Calculated)	12/5/2016	0.07		% Mass	n/a	n/a
Total THC (Calculated)	12/5/2016	15.13		% Mass	n/a	n/a
AOAC Method 934.01						
Moisture (Loss on Drying)	11/27/2016	11.12		% Mass	n/a	n/a
AOAC Method 978.18						
Water Activity	11/27/2016	0.47		aW	0.65 max	Pass
AOAC Method 2007.1						
Abamectin (CAS# 71751-41-2)	12/8/2016	< 500		ppb (ng/g)	500 max	Pass
Acephate (CAS# 30560-19-1)	12/8/2016	< 400		ppb (ng/g)	400 max	Pass
Acequinocyl (CAS# 57960-19-7)	12/8/2016	< 2000		ppb (ng/g)	2000 max	Pass
Acetamiprid (CAS# 135410-20-7)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Aldicarb (CAS# 116-06-3)	12/8/2016	< 400		ppb (ng/g)	400 max	Pass
Azoxystrobin (CAS# 131860-33-8)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Bifenazate (CAS# 149877-41-8)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Bifenthrin (CAS# 82657-04-3)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Boscalid (CAS# 188425-85-6)	12/8/2016	< 400		ppb (ng/g)	400 max	Pass
Carbaryl (CAS# 63-25-2)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Carbofuran (CAS# 1563-66-2)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Chlorantraniliprole (CAS# 500008-45-7)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass

*This report shall not be reproduced without the expressed written consent of ANOVA Laboratory, LLC.
 These results pertain only to the representative sample submitted for analysis.*

Client-Based Solutions and High-Quality, Rapid Results



Anova Laboratory, LLC
 1685 Tucker Road
 Hood River, OR 97031
 541.387.4020 (office)
 866.293.1337 (fax)

Certificate of Analysis

The Clone Brothers

Lic Num: 0201002250AD7C

Strain: Orange Crush
 Matrix: Flower
 CTS Batch #: 1A40103000003E9000000124
 Lot Number: Orange Crush Fall 2016
 Lot Size (lb): 3.63
 Client CTS Sample ID: 1A40103000003E9000000146
 Collected: 11/23/2016 12:00
 Received: 11/23/2016 12:00
 Anova Sample ID: 021163280317

Analysis Performed	Date Analyzed	Result	fn	Reporting Units	Reporting Criterion	Pass/Fail
Chlorfenapyr (CAS# 122453-73-0)	12/8/2016	< 1000		ppb (ng/g)	1000 max	Pass
Chlorpyrifos (CAS# 2921-88-2)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Clofentezine (CAS# 74115-24-5)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Cyfluthrin (Baythroid) (CAS# 68359-37-5)	12/8/2016	< 1000		ppb (ng/g)	1000 max	Pass
Cypermethrin (CAS# 52315-07-8)	12/8/2016	< 1000		ppb (ng/g)	1000 max	Pass
Daminozide (CAS# 1596-84-5)	12/8/2016	< 1000		ppb (ng/g)	1000 max	Pass
DDVP (Dichlorvos) (CAS# 62-73-7)	12/8/2016	< 1000		ppb (ng/g)	1000 max	Pass
Diazinon (CAS# 333-41-5)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Dimethoate (CAS# 60-51-5)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Ethoprophos (CAS# 13194-48-4)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Etofenprox (CAS# 80844-07-1)	12/8/2016	< 400		ppb (ng/g)	400 max	Pass
Etoxazole (CAS#153233-91-1)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Fenoxycarb (CAS# 79127-80-3 or 72490-01-8)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Fenpyroximate (CAS# 134098-61-6)	12/8/2016	< 400		ppb (ng/g)	400 max	Pass
Fipronil (CAS# 120068-37-3)	12/8/2016	< 400		ppb (ng/g)	400 max	Pass
Flonicamid (CAS# 158062-67-0)	12/8/2016	< 1000		ppb (ng/g)	1000 max	Pass
Fludioxonil (CAS# 131341-86-1)	12/8/2016	< 400		ppb (ng/g)	400 max	Pass
Hexythiazox (CAS#78587-05-0)	12/8/2016	< 1000		ppb (ng/g)	1000 max	Pass
Imazalil (CAS# 35554-44-0)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Imidacloprid (CAS# 138261-41-3)	12/8/2016	< 400		ppb (ng/g)	400 max	Pass
Kresoxim-methyl (CAS#143390-89-0)	12/8/2016	< 400		ppb (ng/g)	400 max	Pass
Malathion (CAS# 121-75-5)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Metalaxyl (CAS# 57837-19-1)	12/8/2016	< 200		pbb (ng/g)	200 max	Pass
Methiocarb (CAS#2032-65-7)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Methomyl (CAS# 16752-77-5)	12/8/2016	< 400		ppb (ng/g)	400 max	Pass
Methyl parathion (CAS# 298-00-0)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass

*This report shall not be reproduced without the expressed written consent of ANOVA Laboratory, LLC.
 These results pertain only to the representative sample submitted for analysis.*

Client-Based Solutions and High-Quality, Rapid Results



Anova Laboratory, LLC
 1685 Tucker Road
 Hood River, OR 97031
 541.387.4020 (office)
 866.293.1337 (fax)

Certificate of Analysis

The Clone Brothers

Lic Num: 0201002250AD7C

Strain: Orange Crush
 Matrix: Flower
 CTS Batch #: 1A40103000003E9000000124
 Lot Number: Orange Crush Fall 2016
 Lot Size (lb): 3.63
 Client CTS Sample ID: 1A40103000003E9000000146
 Collected: 11/23/2016 12:00
 Received: 11/23/2016 12:00
 Anova Sample ID: 021163280317

Analysis Performed	Date Analyzed	Result	fn	Reporting Units	Reporting Criterion	Pass/Fail
MGK-264 (CAS# 113-48-4)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Myclobutanil (Systhane) (CAS# 88671-89-0)	12/8/2016	< 200		ppb (ng/)	200 max	Pass
Naled (Dibrom) (CAS# 300-76-5)	12/8/2016	< 500		ppb (ng/g)	500 max	Pass
Oxamyl (CAS# 23135-22-0)	12/8/2016	< 1000		ppb (ng/g)	1000 max	Pass
Paclobutranzol (CAS#76738-62-0)	12/8/2016	< 400		ppb (ng/g)	400 max	Pass
Permethrins (-cis) (39%) (CAS#52645-53-1)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Permethrins (-trans) (59%) (CAS# 51877-74-8)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Phosmet (Imidan) (CAS# 732-11-6)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Piperonyl butoxide (CAS# 51-03-6)	12/8/2016	< 2000		ppb (ng/g)	2000 max	Pass
Prallethrin (CAS# 23031-36-9)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Propiconazole (CAS# 60207-90-1)	12/8/2016	< 400		ppb (ng/g)	400 max	Pass
Propoxur (Baygon) (CAS# 114-26-1)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Pyrethrin - Cinerin 1 (CAS# 8003-34-7 / 25402-06-6)	12/8/2016	< 1000		ppb (ng/g)	1000 max	Pass
Pyrethrin - Jasmolin 1 (CAS# 8003-34-7 / 4466-14-2)	12/8/2016	< 1000		ppb (ng/g)	1000 max	Pass
Pyrethrin - Pyrethrin 1 (CAS# 8003-34-7 / 121-21-1)	12/8/2016	< 1000		ppb (ng/g)	1000 max	Pass
Pyridaben (CAS# 96489-71-3)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Spinosad A (CAS# 168316-95-8)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Spinosad D (CAS# 168316-95-8)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Spiromesifen (CAS# 283594-90-1)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Spirotetramat (CAS# 23313-25-1)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Spiroxamine II (CAS# 11834-30-8)	12/8/2016	< 400		ppb (ng/g)	400 max	Pass
Sprioxamine I (CAS# 11834-30-8)	12/8/2016	< 400		ppb (ng/g)	400 max	Pass
Tebuconazole (Folicur) (CAS# 107534-96-3)	12/8/2016	< 400		ppb (ng/g)	400 max	Pass
Thiacloprid (CAS# 11988-49-9)	12/8/2016	< 200		ppb (gn/g)	200 max	Pass
Thiamethoxam (CAS# 153719-23-4)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass
Trifloxystrobin (CAS# 141517-21-7)	12/8/2016	< 200		ppb (ng/g)	200 max	Pass

*This report shall not be reproduced without the expressed written consent of ANOVA Laboratory, LLC.
 These results pertain only to the representative sample submitted for analysis.*

Client-Based Solutions and High-Quality, Rapid Results



Anova Laboratory, LLC
 1685 Tucker Road
 Hood River, OR 97031
 541.387.4020 (office)
 866.293.1337 (fax)

Certificate of Analysis

The Clone Brothers

Lic Num: 0201002250AD7C

Strain: Orange Crush
 Matrix: Flower
 CTS Batch #: 1A40103000003E9000000124
 Lot Number: Orange Crush Fall 2016
 Lot Size (lb): 3.63
 Client CTS Sample ID: 1A40103000003E9000000146
 Collected: 11/23/2016 12:00
 Received: 11/23/2016 12:00
 Anova Sample ID: 021163280317

Analysis Performed	Date Analyzed	Result	fn	Reporting Units	Reporting Criterion	Pass/Fail
--------------------	---------------	--------	----	-----------------	---------------------	-----------

Footnotes:


Acceptance criteria are found in the Oregon Administrative Rule. Analyses are performed in accordance with the most current methods.

Potency results reported on a dry weight basis.

Pesticide analyses outsourced to OLCC licensed ORELAP accredited laboratory.

Reviewed By: J. Fetkenhour, Technical Director

Date: 12/12/2016

 Digitally signed by Jeffrey G. Fetkenhour
 DN: cn=Jeffrey G. Fetkenhour, o=Anova Laboratory, LLC, ou, email=jeff@anovalab.net, c=US
 Reason: I attest to the accuracy and integrity of this document
 Date: 2016.12.12 15:42:45 -08'00'

*This report shall not be reproduced without the expressed written consent of ANOVA Laboratory, LLC.
 These results pertain only to the representative sample submitted for analysis.*

Client-Based Solutions and High-Quality, Rapid Results